

[NEWS](#) | POSTED FEBRUARY 3, 2014

# “I Know It but I Won’t Say It”: Tie Between Toddlers’ Shyness, Language Abilities Reflects Reticence to Respond

PRESS RELEASE / CHILD DEVELOPMENT: Embargoed for Release on February 3, 2014

Published

Monday, February 3, 2014 12:01am

---

Testing Alternative Hypotheses  
Regarding the Association  
Between Behavioral Inhibition  
and Language Development in  
Toddlerhood

Read the Child Development article:

---

**WILEY ONLINE LIBRARY**

---

Contact:

Jessica Efstathiou, Senior Media  
Relations and Communications

**PRESS RELEASE**

Previous research has suggested that shy children have difficulties with language. Now, a new longitudinal study paints a more nuanced picture. The study, of 816 toddlers, found that children who are inhibited in their behavior tend to speak less but understand what's being said as well as less shy peers. In other words, these children have performance problems when speaking with others, but don't lack capability, suggesting that they're merely reluctant to respond rather than delayed or deficient in understanding language.

The study, conducted at the University of Colorado Boulder and the University of Connecticut, appears in the journal *Child Development*.

“Our findings suggest that inhibited behaviors like shyness don't hamper language acquisition overall but instead relate specifically to how toddlers express themselves through words,” according to Ashley K. Smith Watts, graduate student, and Soo H. Rhee, associate professor of psychology, both of the University of Colorado, who were part of the research team.

The study also found that girls had higher levels of both shyness and language than boys. However, the degree to which shyness was related to language development was similar for girls and boys.

Researchers collected information from 816 children in Colorado who were primarily White but varied in socioeconomic status and who were representative of the population of Boulder. Information was collected at ages 14, 20, and 24 months through parent reports and by observing children during home and lab visits. The researchers assessed expressive, or spoken, language by asking children to imitate certain sounds and words (like /ai/ and “mama”), and by asking the children to answer questions verbally. They assessed receptive, or understood, language by asking children to follow instructions (“Give me the cup and ball”).

“Shy children may need help with developing their speaking abilities,” added Smith Watts and Rhee. “They may benefit from interventions that target confidence, social competence, and autonomy to support the development of expressive language. For example, caregivers can encourage them to be autonomous and arrange play dates with compatible peers.”

The study was funded by the MacArthur Foundation and the *Eunice Kennedy Shriver* National Institute of Child Health and Human Development.

###

Summarized from *Child Development*, Testing Alternative Hypotheses Regarding the Association Between Behavioral Inhibition and Language Development in Toddlerhood by Smith Watts, AK, Patel, D, Corley, RP, Friedman, NP, Hewitt, JK (University of Colorado), Robinson, JL (University of Connecticut), and Rhee, SH (University of Colorado). Copyright 2014 The Society for Research in Child Development, Inc. All rights reserved.